www.cambridgelsat.com



The Accountant

<u>Directions:</u> Each group of questions in this section is based on a set of conditions. In answering some of the questions, it may be useful to draw a rough diagram. Choose the response that most accurately and completely answers each question and blacken the corresponding space on your answer sheet.

Questions 1-5

An accountant assigns double-digit codes to four different clients—Frank, Gardner, Hunt and Jordan. The codes are made using the digits 1 through 8, and the accountant uses each digit only once. The following conditions must apply:

The code with a six in the tens place has a three in the units place.

Hunt's code has a higher numeric value than Jordan's code does.

Frank's code has the highest numeric value.

Jordan's code ends with a two.

Three of the four codes are even.

- 1. Which one of the following could be an accurate account of the codes assigned to the four clients?
 - (A) Frank: 74; Gardner: 52; Hunt: 63; Jordan: 18
 - (B) Frank: 74; Gardner: 53; Hunt: 68; Jordan: 12
 - (C) Frank: 74; Gardner: 12; Hunt: 58; Jordan: 63
 - (D) Frank: 74; Gardner: 58; Hunt: 63; Jordan: 12
 - (E) Frank: 85; Gardner: 74; Hunt: 63; Jordan: 12
- 2. Which one of the following could be true?
 - (A) Gardner's code begins with a 4.
 - (B) Hunt's code begins with an 8.
 - (C) Hunt's code begins with a 1.
 - (D) Gardner's code ends with a 1.
 - (E) Gardner's code ends with a 4.
- 3. If Gardner's code has a lower numeric value than Jordan's code, which one of the following must be false?
 - (A) Gardner's code ends with a 4.
 - (B) Gardner's code ends with a 3.
 - (C) Gardner's code ends with an 8.
 - (D) Frank's code ends with a 4.
 - (E) Frank's code ends with an 8.

- 4. If Gardner's code has a higher numeric value than Jordan's code, and if Gardner's code is even, each of the following must be true EXCEPT:
 - (A) Hunt's code has a higher numeric value than Gardner's code.
 - (B) Jordan's code is comprised of the two lowest valued digits.
 - (C) Frank's code has a higher numeric value than Gardner's code.
 - (D) The units digit for Frank's code is higher than the units digit for Hunt's code.
 - (E) The units digit for Frank's code is higher than the units digit for Gardner's code.
- 5. If the accountant assigns the Hunt account the code 54, which one of the following represents a complete and accurate list of other account codes that can be determined?
 - (A) Frank
 - (B) Gardner
 - (C) Jordan
 - (D) Frank, Jordan
 - (E) Frank, Gardner, Jordan

www.cambridgelsat.com

THE ACCOUNTANT (MANHATTAN LSAT)

1. D 2. E 3. B 4. E 5. E

The questions on the previous page are simulated LSAT questions and are not meant to be used in place of actual LSAT questions. Visit Cambridge LSAT (<u>http://www.cambridgelsat.com</u>) to purchase and download actual LSAT questions.